

Steel/Aluminum 100 Series, 2-Way, 3-Way and 4-Way Wall/Ceiling Registers

Face Jet Velocity			300	400	500	600	700	800	900	1000
Total Pressure Loss			0.007	0.011	0.017	0.023	0.032	0.042	0.053	0.064
Size	Free Area									
6" x 6"	15	CFM	33	42	54	64	75	85	97	106
		Throw	3	4	5	6	7	8	9	10
		NC	<20	20	25	25	30	30	35	35
8" x 4"	13	CFM	25	35	45	55	65	70	80	90
		Throw	2	4	5	6	7	7	8	9
		NC	<20	20	25	25	30	30	35	35
8" x 6"	22	CFM	47	60	77	90	107	120	137	150
		Throw	4	5	6	7	9	10	11	13
		NC	<20	20	25	25	30	30	35	35
8" x 8"	29	CFM	60	80	100	120	140	160	180	200
		Throw	4	6	7	8	10	11	13	14
		NC	<20	20	25	25	30	30	35	40
10" x 4"	17	CFM	35	45	60	70	80	90	105	115
		Throw	4	5	6	7	8	9	11	12
		NC	<20	20	25	25	30	30	35	40
10" x 6"	27	CFM	55	75	95	110	130	150	165	185
		Throw	4	6	8	9	11	12	14	15
		NC	<20	20	25	25	30	30	35	40
10" x 8"	43	CFM	90	120	150	180	210	235	255	295
		Throw	5	7	10	12	14	15	18	20
		NC	<20	20	25	25	30	30	35	40
10" x 10"	45	CFM	95	125	155	185	215	250	280	310
		Throw	5	7	9	10	12	14	16	17
		NC	<20	20	25	25	30	35	35	40
12" x 4"	20	CFM	40	55	70	85	100	110	125	140
		Throw	3	4	5	6	7	8	10	11
		NC	<20	20	25	25	30	35	35	40
12" x 6"	33	CFM	70	90	115	135	160	180	205	225
		Throw	5	6	8	9	11	12	13	15
		NC	<20	20	25	30	35	35	35	40
12" x 8"	46	CFM	95	130	160	190	225	255	290	320
		Throw	5	7	9	11	13	15	17	19
		NC	<20	20	25	30	35	35	40	40
12" x 10"	59	CFM	121	163	205	247	289	326	368	410
		Throw	5	7	9	11	13	15	17	19
		NC	<20	20	25	30	35	35	40	40
12" x 12"	68	CFM	140	190	235	280	330	375	425	470
		Throw	7	10	13	15	18	20	22	23
		NC	<20	25	25	30	30	35	35	40

# TRUAIRE MODELS

100 Series

14" x 4"	27	CFM	55	75	95	110	130	150	165	185
		Throw	4	6	8	9	11	12	14	15
		NC	<20	20	25	25	30	35	35	40
14" x 6"	41	CFM	85	115	145	175	205	230	250	290
		Throw	5	7	9	10	12	14	15	17
		NC	<20	20	25	30	35	35	35	40
14" x 8"	56	CFM	115	155	195	235	275	310	350	390
		Throw	6	9	11	13	16	18	20	22
		NC	<20	20	25	30	35	40	40	40
14" x 10"	70	CFM	144	194	244	294	344	388	438	488
		Throw	7	10	12	14	17	19	21	23
		NC	<20	20	25	30	35	40	40	40
14" x 14"	93	CFM	195	250	325	390	455	520	585	650
		Throw	8	11	14	17	20	23	26	28
		NC	<20	25	25	30	30	35	35	40
16" x 4"	31	CFM	53	74	106	135	159	180	205	224
		Throw	3	6	7	9	10	11	13	14
		NC	<20	20	25	25	30	30	35	40
16" x 6"	44	CFM	94	120	154	180	214	240	274	300
		Throw	6	8	10	11	14	16	17	19
		NC	<20	20	25	25	30	30	35	35
16" x 16"	117	CFM	240	360	400	480	560	640	720	800
		Throw	6	10	12	14	17	19	21	23
		NC	<20	25	25	30	30	35	35	40
18" x 4"	32	CFM	67	90	112	134	156	179	201	223
		Throw	4	6	7	9	11	13	14	15
		NC	<20	25	25	30	30	35	35	40
18" x 8"	64	CFM	134	179	223	268	312	357	402	446
		Throw	6	9	11	13	17	19	21	22
		NC	<20	25	25	30	30	35	35	40
20" x 4"	42	CFM	87	117	147	176	206	240	263	293
		Throw	3	8	9	12	17	16	18	20
		NC	<20	25	25	30	30	35	35	40
20" x 6"	53	CFM	110	150	190	220	260	300	330	370
		Throw	6	9	12	14	17	18	21	23
		NC	<20	20	25	25	30	30	35	40
20" x 8"	84	CFM	173	233	293	352	412	479	525	585
		Throw	5	12	14	18	21	24	27	30
		NC	<20	25	25	30	30	35	35	40
20" x 10"	97	CFM	200	275	338	402	476	539	613	676
		Throw	9	12	15	16	19	21	25	27
		NC	<20	20	25	25	30	35	35	40
24" x 8"	95	CFM	200	264	328	391	455	529	592	655
		Throw	8	11	14	17	20	23	26	28
		NC	<20	25	25	30	30	35	35	40
24" x 10"	124	CFM	255	345	433	522	612	689	778	867
		Throw	8	11	14	17	20	23	26	28
		NC	<20	25	25	30	30	35	35	40

# TRUAIRE MODELS

100 Series

30" x 6"	75	CFM	180	220	260	300	360	405	450	490
		Throw	5.5	7	8.5	10	11	13	14	16
		NC	30	30	30	30	30	30	35	40

Pressure Loss is for registers only and is total of static and velocity measured in inches water gage. Throw is distance in feet to a terminal velocity of 50fpm.  
Face Jet Velocity is the velocity in feet/minute measured at the face.



**RectorSeal® • 2601 Spenwick Drive • Houston, TX 77055 • 800-231-3345 • [rectorseal.com](http://rectorseal.com)**

A CSW Industrials Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2023 RectorSeal. All rights reserved. R50956-0323